

Evaluate the following integrals

5B-1. $\int x\sqrt{x^2-1}dx$

5B-2. $\int e^{8x}dx$

5B-3. $\int \frac{\ln x dx}{x}$

5B-4. $\int \frac{\cos x dx}{2+3\sin x}$

5B-5. $\int \sin^2 x \cos x dx$

5B-6. $\int \sin 7x dx$

5B-7. $\int \frac{6x dx}{\sqrt{x^2+4}}$

5B-8. $\int \tan 4x dx$

5B-9. $\int e^x(1+e^x)^{-1/3}dx$

5B-10. $\int \sec 9x dx$

5B-11. $\int \sec^2 9x dx$

5B-12. $\int xe^{-x^2}dx$

5B-13. $\int \frac{x^2 dx}{1+x^6}$. Hint: Try $u = x^3$.

29/8/25

9. $\int e^x(1+e^x)^{-1/3} dx$

$u = e^x, du = e^x dx$

$\rightarrow \int (1+u)^{-1/3} du$

$= \frac{(1+u)^{2/3}}{2/3} + C$

$= \frac{3}{2} (1+e^x)^{2/3} + C$

11. $\int \sec^2 9x dx$

$= \frac{\tan 9x}{9} + C$

13. $\int \frac{x^2}{1+x^6} dx$ $u = x^3 \Rightarrow du = 3x^2 dx$

$= \frac{1}{3} \int \frac{1}{1+u^2} du$ $\tan \theta = u$
 $du = \sec^2 \theta d\theta$

$= \frac{1}{3} \int \frac{\sec^2 \theta}{1+\tan^2 \theta} d\theta$

$= \frac{1}{3} \int 1 d\theta$

$= \frac{1}{3} \theta + C$

$= \frac{1}{3} \tan^{-1} u + C$

$= \frac{1}{3} \tan^{-1} x^3 + C$

Evaluate the following integrals by substitution and changing the limits of integration.

5B-14. $\int_0^{\pi/3} \sin^3 x \cos x dx$

5B-15. $\int_1^e \frac{(\ln x)^{3/2} dx}{x}$

5B-16. $\int_{-1}^1 \frac{\tan^{-1} x dx}{1+x^2}$

30/8/25

16. $\int_{-1}^1 \frac{\tan^{-1} x dx}{1+x^2}$

$$= \int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} \frac{u \sec^2 u}{1 + \tan^2 u} du$$

$$= \int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} \frac{u \sec^2 u}{\sec^2 u} du$$

$$= \int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} u du$$

$$= \frac{u^2}{2} \Big|_{-\frac{\pi}{4}}^{\frac{\pi}{4}}$$

$$= \frac{1}{2} \left(\frac{\pi^2}{16} - \frac{\pi^2}{16} \right)$$

$$= 0$$

$$x = \tan u$$

$$\Rightarrow dx = \sec^2 u du$$

$$x=1 \Rightarrow u = \tan^{-1} 1 = \frac{\pi}{4}$$

$$x=-1 \Rightarrow u = \tan^{-1} -1 = -\frac{\pi}{4}$$

Evaluate the following

5C-1. $\int \sin^2 x dx$

5C-2. $\int \sin^3(x/2) dx$

5C-3. $\int \sin^4 x dx$

5C-4. $\int \cos^3(3x) dx$

5C-5. $\int \sin^3 x \cos^2 x dx$

5C-6. $\int \sec^4 x dx$

5C-7. $\int \sin^2(4x) \cos^2(4x) dx$

5C-8. $\int \tan^2(ax) \cos(ax) dx$

5C-9. $\int \sin^3 x \sec^2 x dx$

5C-10. $\int (\tan x + \cot x)^2 dx$

5C-11. $\int \sin x \cos(2x) dx$ (Use double angle formula.)

5C-12. $\int_0^\pi \sin x \cos(2x) dx$ (See 27.)

5C-13. Find the length of the curve $y = \ln \sin x$ for $\pi/4 \leq x \leq \pi/2$.

5C-14. Find the volume of one hump of $y = \sin ax$ revolved around the x -axis.

30/8/25

5. $\int \sin^3 x \cos^2 x dx$
 $= \int (1 - \cos^2 x) \sin x \cdot \cos^2 x dx$

$= \int (\cos^2 x - \cos^4 x) \sin x dx$

$u = \cos x \Rightarrow du = -\sin x dx$

$\rightarrow = - \int (u^2 - u^4) du$

$= - \left(\frac{u^3}{3} - \frac{u^5}{5} + C_1 \right)$

$= - \frac{\cos^3 x}{3} + \frac{\cos^5 x}{5} + C$

7. $\int \sin^2(4x) \cos^2(4x) dx$
 $= \int \left(\frac{1 - \cos 8x}{2} \right) \left(\frac{1 + \cos 8x}{2} \right) dx$

$= \frac{1}{4} \int 1 - \cos^2 8x dx$

$= \frac{1}{4} \int 1 - \frac{1 + \cos 16x}{2} dx$

$= \frac{1}{4} \int \frac{1 - \cos 16x}{2} dx$

$= \frac{1}{8} \left(x - \frac{\sin 16x}{16} + C_1 \right)$

$= \frac{x}{8} - \frac{\sin 16x}{128} + C$

$$9. \int \sin^3 x \sec^2 x \, dx$$

$$= \int \frac{\sin^3 x}{\cos^2 x} \, dx$$

$$= \int \frac{(1 - \cos^2 x) \sin x}{\cos^2 x} \, dx$$

$$= \int \frac{\sin x}{\cos^2 x} - \sin x \, dx$$

$$= \int \frac{-du}{u^2} \, du - (-\cos x) + C$$

$$= -\frac{u^{-1}}{-1} + \cos x + C$$

$$= \frac{1}{\cos x} + \cos x + C$$

$$11. \int \sin x \cos 2x \, dx$$

$$= \int \sin x (1 - 2\sin^2 x) \, dx$$

$$= \int \sin x - 2\sin^3 x \, dx$$

$$= \int \sin x \, dx - 2 \int (1 - \cos^2 x) \sin x \, dx$$

$$= -\cos x + C_1 - 2 \int -(1 - u^2) \, du$$

$$= -\cos x + C_1 + 2 \left(u - \frac{u^3}{3} + C_2 \right)$$

$$= -\cos x + 2\cos x - \frac{2\cos^3 x}{3} + C$$

$$= \cos x - \frac{2\cos^3 x}{3} + C$$

Evaluate the following integrals

$$5D-1. \int \frac{dx}{(a^2 - x^2)^{3/2}}$$

$$5D-2. \int \frac{x^3 dx}{\sqrt{a^2 - x^2}}$$

$$5D-3. \int \frac{(x+1)dx}{4+x^2}$$

$$5D-4. \int \sqrt{a^2 + x^2} dx$$

$$5D-5. \int \frac{\sqrt{a^2 - x^2} dx}{x^2}$$

$$5D-6. \int x^2 \sqrt{a^2 + x^2} dx$$

(For 5D-4,6 use $x = a \sinh y$, and $\cosh^2 y = (\cosh(2y) + 1)/2$, $\sinh 2y = 2 \sinh y \cosh y$.)

$$5D-7. \int \frac{\sqrt{x^2 - a^2} dx}{x^2}$$

$$5D-8. \int x \sqrt{x^2 - 9} dx$$

30/8/25

5D-9. Find the arclength of $y = \ln x$ for $1 \leq x \leq b$.

$$\begin{aligned} 1. \quad & \int \frac{dx}{(a^2 - x^2)^{3/2}} \quad x = a \sin u \Rightarrow dx = a \cos u \, du \\ &= \int \frac{a \cos u}{(a^2 - a^2 \sin^2 u)^{3/2}} du \\ &= a \int \frac{\cos u}{a^3 (1 - \sin^2 u)^{3/2}} du \\ &= \frac{1}{a^2} \int \frac{\cos u}{\cos^3 u} du \\ &= \frac{1}{a^2} \int \sec^2 u \, du \\ &= \frac{1}{a^2} (\tan u + C_1) \\ &= \frac{\tan(\arcsin \frac{x}{a})}{a^2} + C \\ &= \frac{x / \sqrt{a^2 - x^2}}{a^2} + C \\ &= \frac{x}{a^2 \sqrt{a^2 - x^2}} + C \end{aligned}$$

$$\begin{aligned} 2. \quad & \int \frac{x^3 dx}{\sqrt{a^2 - x^2}} \quad x = a \sin u \Rightarrow dx = a \cos u \, du \\ &= \int \frac{a^3 \sin^3 u \cdot a \cos u}{\sqrt{a^2 - a^2 \sin^2 u}} du \\ &= \frac{a^4}{\sqrt{a^2}} \int \frac{\sin^3 u \cos u}{\cos u} du \\ &= a^3 \int \sin^3 u \, du \quad \theta = \cos u \Rightarrow d\theta = -\sin u \, du \\ &= a^3 \int (1 - \cos^2 u) \sin u \, du \\ &= a^3 \int -(1 - \theta^2) d\theta \\ &= -a^3 \left(\theta - \frac{\theta^3}{3} + C_1 \right) \\ &= -a^3 \theta + \frac{a^3 \theta^3}{3} + C \\ &\quad \theta = \cos u = \cos(\arcsin \frac{x}{a}) \\ &\Rightarrow \theta = \frac{\sqrt{a^2 - x^2}}{a} \\ \therefore & \int \frac{x^3 dx}{\sqrt{a^2 - x^2}} = -a^2 \sqrt{a^2 - x^2} + \frac{(a^2 - x^2)^{3/2}}{3} + C \end{aligned}$$

$$7. \int \frac{\sqrt{x^2 - a^2}}{x^2} dx \quad \begin{array}{l} x = a \cos u \\ \Rightarrow dx = -a \sin u du \end{array}$$

$$= \int \frac{\sqrt{a^2 \cos^2 u - a^2}}{a^2 \cos^2 u} (-a \sin u du)$$

$$= -\frac{\sqrt{a^2} \cdot a}{a^2} \int \frac{\sqrt{\cos^2 u - 1} \cdot \sin u}{\cos^2 u} du$$

$$= - \int \frac{\sin^2 u}{\cos^2 u} du$$

$$= - \int \tan^2 u du$$

$$= - \int (\sec^2 u - 1) du$$

$$= - (\tan u + C_1) + (u + C_2)$$

$$= - \tan \left(\arccos \frac{x}{a} \right) + \arccos \frac{x}{a} + C$$

$$= - \frac{\sqrt{a^2 - x^2}}{x} + \arccos \frac{x}{a} + C$$

Calculate the following integrals

5D-10. $\int \frac{dx}{(x^2 + 4x + 13)^{3/2}}$

5D-11. $\int x\sqrt{-8 + 6x - x^2}dx$

5D-12. $\int \sqrt{-8 + 6x - x^2}dx$

5D-13. $\int \frac{dx}{\sqrt{2x - x^2}}$

5D-14. $\int \frac{xdx}{\sqrt{x^2 + 4x + 13}}$

5D-15. $\int \frac{\sqrt{4x^2 - 4x + 17}dx}{2x - 1}$

30/8/25

10. $\int \frac{dx}{(x^2 + 4x + 13)^{3/2}}$

$$x^2 + 4x + 13$$

$$= x^2 + 4x + 2^2 - 2^2 + 13$$

$$= (x+2)^2 + 9$$

$$= \int \frac{dx}{((x+2)^2 + 9)^{3/2}}$$

$$u = 3 \tan \theta$$

$$\Rightarrow du = 3 \sec^2 \theta d\theta$$

$$= \int \frac{du}{(u^2 + 9)^{3/2}}$$

$$\sin \theta = \sin \left(\arctan \frac{u}{3} \right)$$

$$= \int \frac{3 \sec^2 \theta}{9^{3/2} (\tan^2 \theta + 1)^{3/2}} d\theta$$

$$= \sin \left(\arctan \frac{x+2}{3} \right)$$

$$= \frac{1}{9} \int \frac{\sec^2 \theta}{(\sec^2 \theta)^{3/2}} d\theta$$

$$= \frac{x+2}{\sqrt{x^2 + 4x + 13}}$$

$$= \frac{1}{9} \int \frac{1}{\sec \theta} d\theta$$

$$= \frac{1}{9} \int \cos \theta d\theta$$

$$= \frac{1}{9} (\sin \theta + C_1)$$

$$= \frac{x+2}{9\sqrt{x^2 + 4x + 13}} + C$$

